Claims

1. A protein having luciferase activity and at least 60% similarity to luciferase from Photinus pyralis, Luciola mingrelica, Luciola cruciata, Luciola lateralis, Hotaria paroula, Pyrophorus plagiophthalamus, Lampyris noctiluca, Pyrocoelia nayako or Photinus pennsylanvanica, wherein in the sequence of the enzyme, at least one of

(a) the amino acid residue corresponding to residue 214 in Photinus pyralis luciferase or to residue 216 of Luciola mingrelica, Luciola cruciata or Luciola lateralis luciferase;
(b) the amino acid residue corresponding to residue 232 in Photinus pyralis luciferase or to residue 234 of Luciola mingrelica, Luciola cruciata or Luciola lateralis luciferase;

- (c) amino acid residue corresponding to residue 295 in *Photinus* pyralis luciferase or to residue 297 of *Luciola mingrelica*, *Luciola cruciata* or *Luciola lateralis* luciferase;
- (d) amino acid residue corresponding to amino acid 14 of the Photinus pyralis luciferase or to residue 16 of Luciola
 20 mingrelica, or 17 of Luciola cruciata or Luciola lateralis;
 - (e) amino acid residue corresponding to amino acid 35 of the Photinus pyralis luciferase or to residue 37 of Luciola mingrelica, or 38 of Luciola cruciata or Luciola lateralis;
 - (f) the amino acid residue corresponding to amino acid residue 105 of the *Photinus pyralis* luciferase or to residue 106 of *Luciola mingrelica*, 107 of *Luciola cruciata* or *Luciola lateralis* or 108 of *Luciola lateralis* gene;
 - (g) amino acid residue corresponding to amino acid residue 234 of the *Photinus pyralis* luciferase or to residue 236 of *Luciola mingrelica*, *Luciola cruciata* or *Luciola lateralis*;
 - (h) amino acid residue corresponding to amino acid residue 420 of the *Photinus pyralis* luciferase or to residue 422 of *Luciola mingrelica*, *Luciola cruciata* or *Luciola lateralis*;
- (i) amino acid residue corresponding to amino acid residue 310
 of the Photinus pyralis luciferase or to residue 312 of Luciola mingrelica, Luciola cruciata or Luciola lateralis;

10

25

30

is different to the amino acid which appears in the corresponding wild type sequence and wherein the luciferase enzyme has increased thermostability as compared to an enzyme having the amino acid of the corresponding wild-type luciferase at this position.

2. A protein according to claim 1 which has the sequence of a wild-type luciferase, in which more than one amino acid residue is different to that of the wild type enzyme.

10

25

3. A protein according to claim 2 wherein up to 50 amino acids are different to that of the wild type enzyme.

4. A protein according to any one of the preceding claims wherein the luciferase is a modified form of luciferase of Photinus pyralis, Luciola mingrelica, Luciola cruciata or Luciola lateralis luciferase.

75. 27. 18.40 And 18.21 18.41 18.11

- 5. A protein according to any one of the preceding claims wherein the sequence of luciferase of *Photinus pyralis*, wherein at least one of
- (a) the amino acid residue corresponding to residue 214 in *Photinus pyralis* luciferase is other than threonine;
- (b) the amino acid residue corresponding to residue 232 in *Photinus pyralis* luciferase is other than isoleucine;
- (c) amino acid residue corresponding to residue 295 in *Photinus* pyralis luciferase is other than phenylalanine;
- (d) amino acid residue corresponding to amino acid 14 of the *Photinus pyralis* luciferase is other than phenylalanine;
- 30 (e) amino acid residue corresponding to amino acid 35 of the *Photinus pyralis* luciferase is other than leucine;
 - (f) amino acid residue corresponding to amino acid residue 105 of the *Photinus pyralis* luciferase is other than alanine;
 - (g) amino acid residue corresponding to amino acid residue 234
- 35 of the Photinus pyralis luciferase is other than aspartic acid;
 - (h) amino acid residue corresponding to amino acid residue 420 of the *Photinus pyralis* luciferase is other than serine;

5

- (i) amino acid residue corresponding to amino acid residue 310 of the *Photinus pyralis* luciferase is other than histidine.
- 6. A protein according to any one of claims 1 to 4 wherein protein has substantially the sequence of Luciola mingrelica, Luciola cruciata or Luciola lateralis enzyme, and wherein at least one of
 - (a) the amino acid residue corresponding to residue 216 of Luciola mingrelica, Luciola cruciata or Luciola lateralis
- luciferase is other than glycine (for Luciola mingrelica based sequences) or aparagine (for Luciola cruciata or Luciola lateralis) based sequences;
 - (b) the amino acid residue corresponding to residue 234 of Luciola mingrelica, Luciola cruciata or Luciola lateralis
- 15 luciferase is other than serine;
 - (c) amino acid residue corresponding to residue 297 of Luciola mingrelica, Luciola cruciata or Luciola lateralis luciferase is other than leucine;
 - (d) amino acid residue corresponding to amino acid 16 of Luciola mingrelica, Luciola cruciata or Luciola lateralis is other than phenylalanine;
 - (e) amino acid residue corresponding to residue 37 of Luciola mingrelica, or residue 38 of Luciola cruciata and Luciola lateralis is other than lysine;
 - (f) amino acid residue corresponding to amino acid residue 106 of Luciola mingrelica, 107 of Luciola cruciata or Luciola lateralis, or 108 of Luciola lateralis gene is other than glycine;
 - (g) amino acid residue corresponding to amino acid residue 236
 30 of Luciola mingrelica, Luciola cruciata or Luciola lateralis is other than glycine;
 - (h) amino acid residue corresponding to residue 422 of Luciola mingrelica, Luciola cruciata or Luciola lateralis is other than threonine;
 - 35 (i) amino acid residue corresponding to amino acid residue 312 of Luciola mingrelica, Luciola cruciata or Luciola lateralis is other than threonine (for Luciola mingrelica based sequences)

WO 00/24878 PCT/GB99/03538

27

or valine (for Luciola cruciata or Luciola lateralis) based sequences.

7. A protein according to any one of the preceding claims wherein comprising a protein having luciferase activity and at least 60% similarity to luciferase from Photinus pyralis, Luciola mingrelica, Luciola cruciata or Luciola lateralis enzyme wherein in the sequence of the enzyme, at least one of

(a) the amino acid residue corresponding to residue 214 in

10 Photinus pyralis luciferase and to residue 216 of Luciola mingrelica, Luciola cruciata or Luciola lateralis luciferase is mutated and is other than threonine in the case of Photinus pyralis luciferase; or

[]

.j

that must that them. If

1.3

î.j

ſIJ

£ : ‡

15

25

30

35

(b) the amino acid residue corresponding to residue 232 in
Photinus pyralis luciferase and to residue 234 of Luciola
mingrelica, Luciola cruciata or Luciola lateralis luciferase is
mutated and is other than isoleucine in the case of Photinus
pyralis luciferase; or

(c) amino acid residue corresponding to residue 295 in *Photinus* pyralis luciferase and to residue 297 of *Luciola mingrelica*, *Luciola cruciata* or *Luciola lateralis* luciferase is mutated and is for example, other than phenylalanine in the case of *Photinus pyralis* luciferase;

and the luciferase enzyme has increased thermostability as compared to the wild-type luciferase.

- 8. A protein according to claim 1 wherein the amino acid residue corresponding to residue 214 in *Photinus pyralis* luciferase and to residue 216 of *Luciola mingrelica*, *Luciola cruciata* or *Luciola lateralis* luciferase is alanine.
- 9. A protein according to any one of the preceding claims wherein the amino acid residue corresponding to residue 232 in Photinus pyralis luciferase and to residue 234 of Luciola mingrelica, Luciola cruciata or Luciola lateralis luciferase is alanine.

WO 00/24878 PCT/GB99/03538

28

A protein according to any one of the preceding claims which is a mutated Photinus pyralis luciferase wherein the amino acid residue corresponding to residue 295 in Photinus pyralis luciferase is leucine.

A protein according to any one the preceding claims wherein the amino acid residue corresponding to amino acid 14 of the Photinus pyralis luciferase or to amino acid 16 in Luciola luciferase, is alanine.

A protein according to any one 12. the preceding claims wherein the luciferase is a mutated luciferase of Photinus pyralis or a Luciola species where the amino acid residue corresponding to amino acid 35 of the Photinus pyralis luciferase or to amino acid residue 37 in Luciola mingrelica or 38 of Luciola lateralis or cruciata luciferase is alanine.

- A protein according to any one of the preceding claims wherein the amino acid residue corresponding to residue 105 in Photinus pyralis luciferase and to residue 106 of Luciola mingrelica, 107 of Luciola cruciata or Luciola lateralis or 108 of Luciola lateralis gene luciferase is valine.
- A protein according to any one of the preceding claims which comprises a mutated Photinus pyralis luciferase wherein the amino acid residue corresponding to residue 234 in Photinus pyralis luciferase is glycine.
 - A protein according to any one of the preceding claims which comprises a mutated Photinus pyralis luciferase wherein the amino acid residue corresponding to residue 420 in Photinus pyralis luciferase is threonine.
 - A protein according to any one of the preceding claims which comprises a mutated Photinus pyralis luciferase wherein the amino acid residue corresponding to residue 310 in Photinus pyralis luciferase is arginine.

X)

10

5

Amp "M," It. grap amp from flow 11 H. Wall from M. S. See grap M. S. See grap M. See grap with the S. See grap M. See grap with the See gr

WO 00/24878 PCT/GB99/03538

29

17. A protein according to any one of the preceding claims wherein the amino acid at position corresponding to amino acid 354 of the *Photinus pyralis* luciferase (356 in Luciola luciferase) is other than glutamate.

5

18. A protein according to claim 17 wherein the amino acid at position corresponding to amino acid 354 of the *Photinus* pyralis luciferase (356 in Luciola luciferase) is lysine or arginine.

10

19. A protein according to any one of the preceding claims wherein the amino acid at the position corresponding to amino acid 217 in Luciola luciferase (215 in *Photinus pyralis*) is a different hydrophobic amino acid.

15

H. H. Harry, Harry, Sparty, Alverty, Ale of Party Health

E

20. A protein according to claim 19 wherein the amino acid at the position corresponding to amino acid 217 in Luciola luciferase (215 in *Photinus pyralis*) is isoleucine, leucine or valine.

20

- 21. A nucleic acid which encodes a luciferase according to any one of the preceding claims.
- 22. A vector comprising a nucleic acid according to claim 21.

25

- 23. A cell transformed with a vector according to claim 22.
- 24. A cell according to claim 23 which is a prokaryotic cell.
- 30 25. A cell according to claim 23 which is a plant cell.
 - 26. A plant comprising cells according to claim 25.
 - 27. A method of producing a protein according to any one of claims 1 to 20, which method comprises culture of a cell according to claim 23 or growth of a plant according to claim 26.

in the time

il.

- 28. The use of a protein according to any one of claims 1 to 20 in a bioluminescent assay.
 - 29. A kit comprising a protein according to $\frac{(a, m)}{any}$ one of claims $\frac{5}{1 + a + 20}$.
 - 30. A kit according to claim 29 which further comprises luciferin.